ELSEVIER

Neuroscience Letters 360 (2004) 180–182

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 360

Ahn, D.K., see Kim, H.D., 37
Alavez, S., see Montes-Rodríguez, C.J., 133
Aldenhoff, J.B., see Schiffelholz, T., 157
Arai, H., see Watanabe, T., 109
Asante, E.A., Li, Y.-G., Gowland, I., Jefferys, J.G.R., Collinge, J., Pathogenic human prion protein rescues PrP null phenotype in transgenic mice, 33

Bae, Y.C., see Kim, H.D., 37
Berciano, J., see Combarros, O., 25
Berezińska, M.s., see Zawilska, J.B., 153
Bonnet, M., see Burle, B., 77
Bufler, J., see Petri, S., 170
Burle, B., Vidal, F., Bonnet, M., Electroencephalographic nogo potentials in a no-movement context: the case of motor imagery in humans, 77

Castellanos, M., see Hayward, L.F., 5
Cha, C.I., see Chung, Y.H., 1
Chang, F.-L.F., see Hong-Goka, B.C., 113
Changeux, J.-P., see Salmon, A.-M., 73
Cho, S.S., see Jeon, G.S., 13
Choi, D.O., see Kim, M.S., 49
Choi, H.S., see Kim, H.D., 37
Choi, M.A., see Kim, M.S., 49
Chrachri, A., Williamson, R., Cholinergic modulation of L-type calcium current in isolated sensory hair cells of the statocyst of octopus, *Eledone cirrhosa*, 90
Chun, S.W., see Kim, M.S., 49
Chung, Y.H., Joo, K.M., Lee, Y.J., Shin, D.H., Cha, C.I., Postnatal development and age-related changes in the distribution of nitric oxide synthase-immunoreactive neurons in the visual system of rats, 1
Clark, J.D., see Liang, D.-Y., 61
Claus, P., Werner, S., Timmer, M., Grothe, C., Expression of the fibroblast growth factor-2 isoforms and the FGF receptor 1–4 transcripts in the rat model system of Parkinson's disease, 117
Cohrs, S., Guan, Z., Pohlmann, K., Jordan, W., Pilz, J., Rüther, E., Rodenbeck, A., Nocturnal urinary dopamine excretion is reduced in otherwise healthy subjects with periodic leg movements in sleep, 161
Collinge, J., see Asante, E.A., 33
Colzato, L.S., Erasmus, V., Hommel, B., Moderate alcohol consumption in humans impairs feature binding in visual perception but not across perception and action, 103
Combarros, O., Infante, J., Llorca, J., Berciano, J., No evidence for association of the monocyte chemoattractant protein-1 (− 2518) gene polymorphism and Alzheimer's disease, 25
Coubard, O., see Kapoula, Z., 95
Creasey, G.H., see Gustafson, K.J., 9
Crittin, M., Riva, C.E., Functional imaging of the human papilla and peripapillary region based on flicker-induced reflectance changes, 141
Csépe, V., see Szűcs, D., 65
Damaj, I., see Salmon, A.-M., 73
Daunys, G., see Kapoula, Z., 95
Denbow, D.M., see Tachibana, T., 165
Dengler, R., see Petri, S., 170
Dickenson, A.H., see Donovan-Rodriguez, T., 29
Donovan-Rodriguez, T., Dickenson, A.H., Urch, C.E., Superficial dorsal horn neuronal responses and the emergence of behavioural hyperalgesia in a rat model of cancer-induced bone pain, 29
Dupuy, M.-A., see Tlili, M., 45

Elder, J.H., see Montes-Rodríguez, C.J., 133
Erasmus, V., see Colzato, L.S., 103
Evrard, A., see Salmon, A.-M., 73

Fujimori, K.E., see Itoh, S., 175
Furuse, M., see Tachibana, T., 165

Gass, P., see Zink, M., 106
Gauchard, G.C., Vançon, G., Gentine, A., Jeandel, C., Perrin, P.P., Physical activity after retirement enhances vestibulo-ocular reflex in elderly humans, 17
Gentine, A., see Gauchard, G.C., 17
Gowland, I., see Asante, E.A., 33
Grill, W.M., see Gustafson, K.J., 9
Grothe, C., see Claus, P., 117
Grothe, C., see Petri, S., 170
Guan, Z., see Cohrs, S., 161
Gustafson, K.J., Creasey, G.H., Grill, W.M., A urethral afferent mediated excitatory bladder reflex exists in humans, 9

Hanson, E.N., see Miletic, G., 149
Haro, R., see Montes-Rodríguez, C.J., 133
Hashemi, F., see Petri, S., 170
Hayward, L.F., Castellanos, M., Activation of the dorsal periaqueductal gray in the rat induces Fos-like immunoreactivity in select non-cholinergic mesopontine neurons, 5
Henn, F.A., see Zink, M., 106
Hernández, A., see Noseda, R., 41
Hinze-Selch, D., see Schiffelholz, T., 157
Holstege, G., see Klop, E.M., 121
Holstege, G., see Klop, E.M., 125
Hommel, B., see Colzato, L.S., 103
Hong-Goka, B.C., Chang, F.-L.F., Estrogen receptors α and β in choroid plexus epithelial cells in Alzheimer's disease, 113
Hori, A., see Petri, S., 170
Hukuoka, Y., see Itoh, S., 175

Ichinose, S., see Itoh, S., 175
Infante, J., see Combarros, O., 25
Itoh, S., Uyeda, A., Hukuoka, Y., Fujimori, K.E., Matsuda, A., Ichinose, S.,

doi:10.1016/S0304-3940(04)00374-X

ELSEVIER

Neuroscience Letters 360 (2004) 180–182

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 360

Ahn, D.K., see Kim, H.D., 37
Alavez, S., see Montes-Rodríguez, C.J., 133
Aldenhoff, J.B., see Schiffelholz, T., 157
Arai, H., see Watanabe, T., 109
Asante, E.A., Li, Y.-G., Gowland, I., Jefferys, J.G.R., Collinge, J., Pathogenic human prion protein rescues PrP null phenotype in transgenic mice, 33

Bae, Y.C., see Kim, H.D., 37
Berciano, J., see Combarros, O., 25
Berezińska, M.s., see Zawilska, J.B., 153
Bonnet, M., see Burle, B., 77
Bufler, J., see Petri, S., 170
Burle, B., Vidal, F., Bonnet, M., Electroencephalographic nogo potentials in a no-movement context: the case of motor imagery in humans, 77

Castellanos, M., see Hayward, L.F., 5
Cha, C.I., see Chung, Y.H., 1
Chang, F.-L.F., see Hong-Goka, B.C., 113
Changeux, J.-P., see Salmon, A.-M., 73
Cho, S.S., see Jeon, G.S., 13
Choi, D.O., see Kim, M.S., 49
Choi, H.S., see Kim, H.D., 37
Choi, M.A., see Kim, M.S., 49
Chrachri, A., Williamson, R., Cholinergic modulation of L-type calcium current in isolated sensory hair cells of the statocyst of octopus, *Eledone cirrhosa*, 90
Chun, S.W., see Kim, M.S., 49
Chung, Y.H., Joo, K.M., Lee, Y.J., Shin, D.H., Cha, C.I., Postnatal development and age-related changes in the distribution of nitric oxide synthase-immunoreactive neurons in the visual system of rats, 1
Clark, J.D., see Liang, D.-Y., 61
Claus, P., Werner, S., Timmer, M., Grothe, C., Expression of the fibroblast growth factor-2 isoforms and the FGF receptor 1–4 transcripts in the rat model system of Parkinson's disease, 117
Cohrs, S., Guan, Z., Pohlmann, K., Jordan, W., Pilz, J., Rüther, E., Rodenbeck, A., Nocturnal urinary dopamine excretion is reduced in otherwise healthy subjects with periodic leg movements in sleep, 161
Collinge, J., see Asante, E.A., 33
Colzato, L.S., Erasmus, V., Hommel, B., Moderate alcohol consumption in humans impairs feature binding in visual perception but not across perception and action, 103
Combarros, O., Infante, J., Llorca, J., Berciano, J., No evidence for association of the monocyte chemoattractant protein-1 (− 2518) gene polymorphism and Alzheimer's disease, 25
Coubard, O., see Kapoula, Z., 95
Creasey, G.H., see Gustafson, K.J., 9
Crittin, M., Riva, C.E., Functional imaging of the human papilla and peripapillary region based on flicker-induced reflectance changes, 141
Csépe, V., see Szűcs, D., 65
Damaj, I., see Salmon, A.-M., 73
Daunys, G., see Kapoula, Z., 95
Denbow, D.M., see Tachibana, T., 165
Dengler, R., see Petri, S., 170
Dickenson, A.H., see Donovan-Rodriguez, T., 29
Donovan-Rodriguez, T., Dickenson, A.H., Urch, C.E., Superficial dorsal horn neuronal responses and the emergence of behavioural hyperalgesia in a rat model of cancer-induced bone pain, 29
Dupuy, M.-A., see Tlili, M., 45

Elder, J.H., see Montes-Rodríguez, C.J., 133
Erasmus, V., see Colzato, L.S., 103
Evrard, A., see Salmon, A.-M., 73

Fujimori, K.E., see Itoh, S., 175
Furuse, M., see Tachibana, T., 165

Gass, P., see Zink, M., 106
Gauchard, G.C., Vançon, G., Gentine, A., Jeandel, C., Perrin, P.P., Physical activity after retirement enhances vestibulo-ocular reflex in elderly humans, 17
Gentine, A., see Gauchard, G.C., 17
Gowland, I., see Asante, E.A., 33
Grill, W.M., see Gustafson, K.J., 9
Grothe, C., see Claus, P., 117
Grothe, C., see Petri, S., 170
Guan, Z., see Cohrs, S., 161
Gustafson, K.J., Creasey, G.H., Grill, W.M., A urethral afferent mediated excitatory bladder reflex exists in humans, 9

Hanson, E.N., see Miletic, G., 149
Haro, R., see Montes-Rodríguez, C.J., 133
Hashemi, F., see Petri, S., 170
Hayward, L.F., Castellanos, M., Activation of the dorsal periaqueductal gray in the rat induces Fos-like immunoreactivity in select non-cholinergic mesopontine neurons, 5
Henn, F.A., see Zink, M., 106
Hernández, A., see Noseda, R., 41
Hinze-Selch, D., see Schiffelholz, T., 157
Holstege, G., see Klop, E.M., 121
Holstege, G., see Klop, E.M., 125
Hommel, B., see Colzato, L.S., 103
Hong-Goka, B.C., Chang, F.-L.F., Estrogen receptors α and β in choroid plexus epithelial cells in Alzheimer's disease, 113
Hori, A., see Petri, S., 170
Hukuoka, Y., see Itoh, S., 175

Ichinose, S., see Itoh, S., 175
Infante, J., see Combarros, O., 25
Itoh, S., Uyeda, A., Hukuoka, Y., Fujimori, K.E., Matsuda, A., Ichinose, S.,

doi:10.1016/S0304-3940(04)00374-X

Kobayashi, H., Shinomiya, K., Tanaka, J., Taguchi, T., Muscle-specific protein MDP77 specifically promotes motor nerve regeneration in rats, 175

Jang, J.H., Nam, T.S., Paik, K.S., Leem, J.W., Involvement of peripherally released substance P and calcitonin gene-related peptide in mediating mechanical hyperalgesia in a traumatic neuropathy model of the rat, 129
Jeandel, C., see Gauchard, G.C., 17
Jefferys, J.G.R., see Asante, E.A., 33
Jeon, G.S., Shin, D.H., Cho, S.S., Induction of transcription factor c-myb expression in reactive astrocytes following intracerebroventricular kainic acid injection in mouse hippocampus, 13
Jevtovic-Todorovic, V., see Todorovic, S.M., 57
Joo, K.M., see Chung, Y.H., 1
Jordan, W., see Cohrs, S., 161
Ju, J.S., see Kim, H.D., 37
Jung, C.Y., see Kim, H.D., 37

Kapoula, Z., Yang, Q., Coubard, O., Daunys, G., Orssaud, C., Transcranial magnetic stimulation of the posterior parietal cortex delays the latency of both isolated and combined vergence–saccade movements in humans, 95
Kim, H.D., Lee, H.J., Choi, H.S., Ju, J.S., Jung, C.Y., Bae, Y.C., Ahn, D.K., Interleukin-1β injected intracisternally inhibited NMDA-evoked behavioral response in the orofacial area of freely moving rats, 37
Kim, J.H., see Kim, M.S., 49
Kim, K.Y., see Kim, M.S., 49
Kim, M.S., Choi, D.O., Choi, M.A., Kim, J.H., Kim, K.Y., Lee, M.Y., Rhee, J.K., Chun, S.W., Park, B.R., Immunohistochemical detection of phosphorylated form of extracellular signal-regulated kinase 1/2 in rat vestibular nuclei following hemorrhagic hypotension, 49
Klop, E.M., Mouton, L.J., Holstege, G., How many spinothalamic tract cells are there? A retrograde tracing study in cat, 121
Klop, E.M., Mouton, L.J., Holstege, G., Less than 15% of the spinothalamic fibers originate from neurons in lamina I in cat, 125
Kobayashi, H., see Itoh, S., 175
Kofler, M., Influence of transcutaneous electrical nerve stimulation on cutaneous silent periods in humans, 69
Koga, T., Takahashi, M., Quantal size of catecholamine release from rat chromaffin cells is regulated by tonic activity of protein kinase A, 145
Krampfl, K., see Petri, S., 170
Kraus, T., Neuhuber, W.L., Raab, M., Vesicular glutamate transporter 1 immunoreactivity in motor endplates of striated esophageal but not skeletal muscles in the mouse, 53
Kurki, I., Saarinen, J., Shape perception in human vision: specialized detectors for concentric spatial structures?, 100

Laurido, C., see Noseda, R., 41
Lee, H.J., see Kim, H.D., 37
Lee, M.Y., see Kim, M.S., 49
Lee, Y.J., see Chung, Y.H., 1
Leem, J.W., see Jang, J.H., 129
Levin, B.E., see Marin-Spiotta, A., 81
Li, X., see Liang, D.-Y., 61
Li, Y.-G., see Asante, E.A., 33
Liang, D.-Y., Li, X., Clark, J.D., Formalin-induced spinal cord calcium/calmodulin-dependent protein kinase IIα expression is modulated by heme oxygenase in mice, 61
Llorca, J., see Combarros, O., 25
Lorenc, A., see Zawilska, J.B., 153

Marin-Spiotta, A., Levin, B.E., Tkacs, N.C., A single episode of central glucoprivation reduces the adrenomedullary response to subsequent hypoglycemia in rats, 81
Matsuda, A., see Itoh, S., 175
Meyenburg, A., see Todorovic, S.M., 57
Miletic, G., Hanson, E.N., Savagian, C.A., Miletic, V., Protein kinase A contributes to sciatic ligation-associated early activation of cyclic AMP response element binding protein in the rat spinal dorsal horn, 149
Miletic, V., see Miletic, G., 149
Miyamoto, T., see Takada, T., 137
Mondaca, M., see Noseda, R., 41
Montes-Rodríguez, C.J., Alavez, S., Elder, J.H., Haro, R., Morán, J., Prospéro-García, O., Prolonged waking reduces human immunodeficiency virus glycoprotein 120- or tumor necrosis factor alpha-induced apoptosis in the cerebral cortex of rats, 133
Morán, J., see Montes-Rodríguez, C.J., 133
Mottet, D., see Tlili, M., 45
Mouton, L.J., see Klop, E.M., 121
Mouton, L.J., see Klop, E.M., 125

Nagao, M., see Watanabe, T., 109
Nam, T.S., see Jang, J.H., 129
Neuhuber, W.L., see Kraus, T., 53
Noseda, R., Hernández, A., Valladares, L., Mondaca, M., Laurido, C., Soto-Moyano, R., Melatonin-induced inhibition of spinal cord synaptic potentiation in rats is MT_2 receptor-dependent, 41
Nowak, J.Z., see Zawilska, J.B., 153

Obara, I., Przewlocki, R., Przewlocka, B., Local peripheral effects of μ-opioid receptor agonists in neuropathic pain in rats, 85
Ohnuma, T., see Watanabe, T., 109
Ohtsuka, M., see Watanabe, T., 109
Orssaud, C., see Kapoula, Z., 95
Otto, C., see Zink, M., 106

Paik, K.S., see Jang, J.H., 129
Park, B.R., see Kim, M.S., 49
Pathirathna, S., see Todorovic, S.M., 57
Pavis, B., see Tlili, M., 45
Perrin, P.P., see Gauchard, G.C., 17
Petri, S., Krampfl, K., Hashemi, F., Schmalbach, S., Grothe, C., Hori, A., Dengler, R., Bufler, J., The mRNA expression of AMPA type glutamate receptors in the primary motor cortex of patients with amyotrophic lateral sclerosis: an in situ hybridization study, 170
Pilz, J., see Cohrs, S., 161
Pohlmann, K., see Cohrs, S., 161
Prospéro-García, O., see Montes-Rodríguez, C.J., 133
Przewlocka, B., see Obara, I., 85
Przewlocki, R., see Obara, I., 85

Raab, M., see Kraus, T., 53
Rhee, J.K., see Kim, M.S., 49
Riva, C.E., see Crittin, M., 141
Rodenbeck, A., see Cohrs, S., 161
Rüther, E., see Cohrs, S., 161

Saarinen, J., see Kurki, I., 100
Saito, E.-S., see Tachibana, T., 165
Saito, S., see Tachibana, T., 165
Salmon, A.-M., Evrard, A., Damaj, I., Changeux, J.-P., Reduction of with-

drawal signs after chronic nicotine exposure of alpha-calcitonin gene-related peptide knock-out mice, 73
Savagian, C.A., see Miletic, G., 149
Schütz, G., see Zink, M., 106
Schiffelholz, T., Hinze-Selch, D., Aldenhoff, J.B., Perinatal MK-801 treatment affects age-related changes in locomotor activity from childhood to later adulthood in rats, 157
Schmalbach, S., see Petri, S., 170
Shibata, N., see Watanabe, T., 109
Shin, D.H., see Chung, Y.H., 1
Shin, D.H., see Jeon, G.S., 13
Shinomiya, K., see Itoh, S., 175
Skene, D.J., see Zawilska, J.B., 153
Soto-Moyano, R., see Noseda, R., 41
Szűcs, D., Csépe, V., Similarities and differences in the coding of numerical and alphabetical order using acoustic stimulation as revealed by event-related potentials in humans, 65

Tachibana, T., Saito, E.-S., Saito, S., Tomonaga, S., Denbow, D.M., Furuse, M., Comparison of brain arginine-vasotocin and corticotrophin-releasing factor for physiological responses in chicks, 165
Taguchi, T., see Itoh, S., 175
Takada, T., Miyamoto, T., A fronto-parietal network for chewing of gum: a study on human subjects with functional magnetic resonance imaging, 137
Takahashi, M., see Koga, T., 145
Tanaka, J., see Itoh, S., 175
Tang, X.C., see Zhang, H.Y., 21
Thaheld, F., Comments on the paper "Correlations between brain electrical activities of two spatially separated human subjects", by J. Wackermann, C. Seiter, H. Keibel, H. Walach, Neurosci. Lett., 336 (2003) 60–64, 178
Timmer, M., see Claus, P., 117
Tkacs, N.C., see Marin-Spiotta, A., 81
Tlili, M., Mottet, D., Dupuy, M.-A., Pavis, B., Stability and phase locking in human soccer juggling, 45
Todorovic, S.M., Pathirathna, S., Meyenburg, A., Jevtovic-Todorovic, V., Mechanical and thermal anti-nociception in rats after systemic administration of verapamil, 57
Tomonaga, S., see Tachibana, T., 165

Ueki, A., see Watanabe, T., 109
Urch, C.E., see Donovan-Rodriguez, T., 29
Uyeda, A., see Itoh, S., 175

Valladares, L., see Noseda, R., 41
Vançon, G., see Gauchard, G.C., 17
Vidal, F., see Burle, B., 77

Wackermann, J., Walach, H., Comments on the Letter to the Editor by F. Thaheld, 179
Walach, H., see Wackermann, J., 179
Watanabe, T., Ohnuma, T., Shibata, N., Ohtsuka, M., Ueki, A., Nagao, M., Arai, H., No genetic association between Fyn kinase gene polymorphisms (−93A/G, IVS10+37T/C and Ex12+894T/G) and Japanese sporadic Alzheimer's disease, 109
Werner, S., see Claus, P., 117
Williamson, R., see Chrachri, A., 90

Yan, H., see Zhang, H.Y., 21
Yang, Q., see Kapoula, Z., 95

Zacher, C., see Zink, M., 106
Zawilska, J.B., Berezińska, M.s., Lorenc, A., Skene, D.J., Nowak, J.Z., Retinal illumination phase shifts the circadian rhythm of serotonin *N*-acetyltransferase activity in the chicken pineal gland, 153
Zhang, H.Y., Yan, H., Tang, X.C., Huperzine A enhances the level of secretory amyloid precursor protein and protein kinase C-α in intracerebroventricular β-amyloid-(1–40) infused rats and human embryonic kidney 293 Swedish mutant cells, 21
Zink, M., Otto, C., Zörner, B., Zacher, C., Schütz, G., Henn, F.A., Gass, P., Reduced expression of brain-derived neurotrophic factor in mice deficient for pituitary adenylate cyclase activating polypeptide type-I-receptor, 106
Zörner, B., see Zink, M., 106